




1



2



PROGEF Standard Bogen 90° SDR11/PN10

Ausführung:

- Material: PP-H
- Konventionelle Stumpfschweissung nach DVS 2207
- IR = Infrarotschweissen kompatibel

* Werkstoff: PP-R

d	SDR	PN	SM	Typ	Code	NPK	Gewicht	L	L1	R	e
(mm)		(bar)					(kg)	(mm)	(mm)	(mm)	(mm)
20	11	10	IR	1	727 018 606		0.008	38	23	15.00	1.9
25	11	10	IR	1	727 018 607		0.013	42	23	19.00	2.3
32	11	10	IR	1	727 018 608		0.022	46	22	24.00	2.9
40	11	10	IR	1	727 018 609		0.040	51	21	30.00	3.7
50	11	10	IR	1	727 018 610		0.067	58	21	37.00	4.6
63	11	10	IR	1	727 018 611		0.117	66	21	45.00	5.8
75	11	10	IR	2	727 018 622		0.178	75	21	71.25	6.8
90	11	10	IR	2	727 018 623		0.308	90	22	85.50	8.2
110	11	10	IR	2	727 018 624		0.556	110	25	104.50	10.0
125	11	10	IR	2	727 018 615		0.818	125	28	116.00	11.4
140	11	10	IR	2	727 018 616		1.148	140	33	131.00	12.7
160	11	10	IR	2	727 018 617		1.699	160	33	151.00	14.6
180	11	10	IR	2	727 018 618		2.394	180	33	171.00	16.4
200	11	10	IR	2	727 018 619		3.264	200	33	190.00	18.2
225	11	10	IR	2	727 018 620		4.535	220	33	210.00	20.5
250	11	10	IR	1	727 018 521		6.351	256	48	232.00	22.7
280	11	10	IR	1	727 018 522		9.398	286	48	262.00	25.4
315	11	10	IR	1	727 018 523		12.959	321	48	297.00	28.6
*	355	11	10	2	727 018 524		16.400	345	70	330.00	32.2
*	400	11	10	2	727 018 525		22.220	365	70	350.00	36.3
*	450	11	10	2	727 018 526		32.560	425	70	400.00	40.9
*	500	11	10	2	727 018 527		44.840	470	90	445.00	45.4

The technical data are not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification. Our General Terms of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland Phone +41 -(0)52-631 1111 e-mail: info.ps@georgfischer.com Internet: <http://www.gfps.com>